

Zixi Installation Guide

Software Version 12 Document Version DOC18-540-0003 Copyright © Zixi 2019 All Rights Reserved

Copyright © Zixi 2019 Waltham, MA U.S.A. All Rights Reserved

Legal Notice

This document contains proprietary and confidential material of Zixi LLC. Any unauthorized reproduction, use, or disclosure of this material, or any part thereof, is strictly prohibited. This document is solely for the use of Zixi employees and authorized Zixi customers. The material furnished in this document is believed to be accurate and reliable. However, no responsibility is assumed by Zixi LLC. for the use of this document or any material included herein. Zixi LLC. reserves the right to make changes to this document or any material included herein at any time and without notice.

For more information visit: <u>www.Zixi.com</u>. Copyright © Zixi 2019 Waltham, MA U.S.A. All Rights Reserved.

* See back for additional licensing information

Security Settings

Table of Contents

Legal Notice
Introduction 4
Security Settings4
Zixi Feeder Settings 4
Zixi Receiver Settings 4
Zixi Broadcaster Settings5
Activating the License
Zixi Feeder6
Online Activation6
Offline Activation
Zixi Broadcaster7
Online Activation7
Offline Activation7
Zixi Receiver
Online Activation7
Offline Activation
Installation on Linux
System Requirements - Linux
Downloading and Extracting the Installation File10
Installation on Windows 11
System Requirements - Linux
Downloading and Running the Installation12

Introduction

The following installation guide includes installation procedures for the following Zixi products on Linux and Windows environments:

- Zixi Feeder
- Zixi Broadcaster
- Zixi Receiver

Security Settings

The installation requires an internet connection and the following ports must be opened on your Firewall(s) for inbound and outbound traffic as described below:

Zixi Feeder Settings

Port	Туре	Direction	Description
2088	UDP	Outbound	Feeder push to Broadcaster, Zixi protocol
7088	UDP	Outbound	Feeder push to Broadcaster, Zixi protocol with DTLS
1935	ТСР	Inbound	Encoder push to Feeder, RTMP protocol
4200	ТСР	Inbound	Web management UI, HTTP protocol

Zixi Receiver Settings

Port	Туре	Direction	Description
2077	UDP	Outbound	Receiver pull from Broadcaster, Zixi protocol
7077	UDP	Outbound	Receiver pull from Broadcaster, Zixi protocol with DTLS
4300	ТСР	Inbound	Web management UI, HTTP protocol

Security Settings

Zixi Broadcaster Settings

Port	Туре	Direction	Description
2088	UDP	Inbound	Feeder push to Broadcaster, Zixi protocol
7088	UDP	Inbound	Feeder push to Broadcaster, Zixi protocol with DTLS
2077	UDP	Inbound	Receiver pull from Broadcaster, Zixi protocol
7077	UDP	Inbound	Receiver pull from Broadcaster, Zixi protocol with DTLS
1935	ТСР	Inbound	Encoder push to Broadcaster, RTMP protocol
1935	ТСР	Outbound	Broadcaster push to CDN or RTMP server, RTMP protocol
7777	ТСР	Inbound	HTML5 video player or CDN pull from Broadcaster, HTTP streaming protocol - HLS or DASH
4444	ТСР	Inbound	Web management UI, HTTP protocol

To activate Zixi license please ensure connection to URL: license.zixi.com via TCP port 80. If you cannot open this connection, you can activate your license through a "License File".

To obtain a license file, please contact Zixi support - support@zixi.com.

Activating the License

The activation of the license is performed in the relevant web-based management UI.

To activate Zixi license please ensure connection to URL: license.zixi.com via TCP port 80. If you cannot open this connection, you can activate your license through a "License File"

To obtain a license file, please contact Zixi support - <u>support@zixi.com</u>.

Zixi Feeder

Ċ

Online Activation

When logging in for the first time to a Zixi Feeder, you must activate the Zixi license.

- ➡ To Activate the License using a License Key:
 - 1. In the **Status** page of the Zixi Feeder, click **Options** in the menu bar. The drop-down menu is displayed.

		▼ Opti	ons	ථ Restart
	1 Activate Licens	e]
	Contract	s		
	🕞 Load License			
2.	Click Activate Lice The Activate Lice	ense. nse windov	м арр	ears.
	Activate Licens	e	×	
	Key:			
	Activate	Cancel		

3. Enter your **Activation Key** and click **Activate**. Once entered, The Zixi Feeder is enabled.

Offline Activation

If you want to activate your license without an internet connection, you can upload a license file. To obtain a license file, please contact Zixi support.

Activating the License

Zixi Broadcaster

➡ To Load the License File:

- 1. In the **Status** page of the Zixi Feeder, click **Options** in the menu bar.
- 2. Click Load License. The directory of the local drive opens.
- 3. Select the license file and click **Open**.
- 4. A prompt window instructs you to Reload the license to activate the license.

Zixi Broadcaster

Online Activation

When logging in for the first time to a Zixi Broadcaster, you must activate the Zixi license.

Note: The following procedure requires connectivity to the Internet. If you are not able to connect, you can activate by **Error! Reference source not found.**.

➡ To Activate the License:

- 1. In the Zixi Broadcaster **Status** page, click **Options**. The various options are displayed.
- 1. Click **Activate License**. The Activate License window appears.
- 2. Enter your Activation Key and click **Activate**. Once entered, The Zixi Broadcaster is enabled.

Offline Activation

If you want to activate your license without an internet connection, you can upload a license file. To obtain a license file, please contact Zixi support.



- 1. In the Zixi Broadcaster **Status** page click **Options**. The Options menu is displayed.
- 2. Click Load License. The directory of the local drive opens.
- 3. Select the license file and click **Open**.

Zixi Receiver

Online Activation

When logging in for the first time to a Zixi Receiver, you must activate the Zixi license.



1. In the **Status** page of the Zixi Receiver, click **Options** in the menu bar. The drop-down options menu is displayed.

	 Options 	ථ Restart
1 Activate License		
🖝 Load License		
2. Click Activate Lic	ense. The Act	ivate Licens

Key:	Activate Licen	se	×
	Key:		
			-

3. Enter your **Activation Key** and click **Activate**. Once entered, the Zixi Receiver, has been licensed.

Offline Activation

If you want to activate your license without an internet connection, you can upload a license file. To obtain a license file, please contact Zixi support.

⇒	To	Load	the	License	File:
---	----	------	-----	---------	-------

- 1. In the **Status** page of the Zixi Receiver, click **Options** in the menu bar. The drop-down options menu is displayed.
- 2. Click Load License. The directory of the local drive opens.
- 3. Select the license file and click **Open**.
- 4. A prompt window instructs you to **Reload** the license to activate the license.

System Requirements - Linux

Installation on Linux

➡ To install on Linux:

- 1. Check that you have a link and credentials to the Zixi download site and the license activation keys. If you don't have them, please contact Zixi Support support@zixi.com.
- 2. Check that your system meets the system requirements.
- 3. Download and extract the installation file(s). See <??>
- 4. Activate the license through the web-based management UI. See <??>

System Requirements - Linux

Hardware

- CPU: Intel i3 dual core CPU or above
- RAM: 4 GB RAM
- Networking: 2 x 1GB network card

Operating System

- Zixi Broadcaster 64-bit CentOS 7.x or an equivalent Linux distribution with glibc 2.14+
- Zixi Feeder and Receiver Linux CentOS 6/7, must be a 64-bit distribution
- Linux Ubunto 12/14, 64-bit
- Linux Debian 7/8, 64-bit
- Non-GUI server distribution recommended due to conflicts with NetworkManager GUI application.

Network Management

- Feeder GUI: TCP 4200
- Broadcaster GUI: TCP 4444
- Receiver GUI: TCP 4300
- SSH Remote Tunnel: If enabled, the device reaches out on port 22 to the remote access server.

Network Streaming

- HTTP Proxy: TCP 4500
- HTTP Origin: TCP 7777 for HLS, HDS and DASH
- Zixi Push Pull to Broadcaster: UDP port 2088
- Zixi Pull to receiver: UDP port 2077
- 9 | Zixi Feeder

R

- Zixi Pull to receiver: UDP port 2077
- UDP PULL/PUSH: Specified by user.
- RTMP server: TCP 1935

Downloading and Extracting the Installation File

After receiving the email with the download link and the license activation keys, follow the instructions below. The downloading and the extraction of all Zixi Products (e.g. Zixi Feeder, Zixi Broadcaster, etc.) is the same. You just need to enter in the <zixi_product> parameter the relevant product.

Make sure you are logged in as a Root user. If you are not logged in as a Root user,

To download and extract the file:

use the su command.

1. Create a Zixi folder by typing the following commands in the Linux console:

```
# mkdir /zixi
```

- # cd /zixi
- 2. Type the # wget command followed by the download link that you have received via email, while excluding the "http://" part of the link. For example:

```
# wget --user=<customer_Name>--ask-password
downloads.zixi.com/<customerName>/<zixi product>-<version number>.tar.gz
```

- 3. You will be requested to enter a password, type the password that you have received from Zixi support.
- 4. Extract the installation file by typing the following command:
 - # tar xvfz <zixi_product>-<version_number>.tar.gz
 - # cd <zixi_product>
- 5. Run the installation script file by typing the following command: #./installMe.sh
- 6. Run prerequisites script file by typing the following command: #./prerequisites.sh

Following the completion of the installation, proceed to license activation procedure.

System Requirements - Linux

Installation on Windows

➡ To install on Windows:

- 1. Check that you have a link and credentials to the Zixi download site and the license activation keys. If you don't have them, please contact Zixi Support support@zixi.com.
- 2. Check that your system meets the system requirements.
- 3. Download and extract the installation file(s). See <??>
- 4. Activate the license through the web-based management UI. See <??>

System Requirements - Linux

Hardware

- Recommended processor: Intel[®] Core[™] i3 dual-core or quad-core
- Memory requirements: 2GB
- Network interface cards: Minimum of two gigabit Ethernet adapters are required

Operating System

- Windows[®] Server 2008/2012, 32-bit or 64-bit
- Windows 7/8, 32-bit or 64-bit

Network Management

- Feeder GUI: TCP 4200
- Broadcaster GUI: TCP 4444
- Receiver GUI: TCP 4300
- SSH Remote Tunnel: If enabled, the device reaches out on port 22 to the remote access server.

Network Streaming

- HTTP Proxy: TCP 4500
- HTTP Origin: TCP 7777 for HLS, HDS and DASH
- Zixi Push Pull to Broadcaster: UDP port 2088
- Zixi Pull to receiver: UDP port 2077
- Zixi Pull to receiver: UDP port 2077
- UDP PULL/PUSH: Specified by user.
- RTMP server: TCP 1935

Downloading and Running the Installation

After receiving the email with the download link and the license activation keys, follow the instructions below. The downloading and the extraction of all Zixi Products (e.g. Zixi Feeder, Zixi Broadcaster, etc.) is the same. In this procedure we will use Zixi Broadcaster as an example.

➡ To download and run the installation:

- 1. Download the Zixi Broadcaster installation file.
- 2. Double-click on the Zixi Broadcaster installation file. The **License Agreement** window appears.

ress Page Down to see the rest of the agreement.	
IXI LLC. Software License Agreement	^
3Y CLICKING THE "I AGREE" BUTTON, YOU (THE "LICENSEE") AGREE TO BE BOUI THE TERMS AND CONDITIONS OF THIS ZIXI SOFTWARE LICENSE AGREEMENT (I AGREEMENT"). PLEASE READ THIS AGREEMENT CAREFULLY BEFORE CLICKING AGREE" BUTTON BELOW. IF YOU DO NOT AGREE TO ALL OF THE TERMS OF THIS AGREEMENT, PLEASE DO NOT CLICK THE "I AGREE" BUTTON, BUT CLICK THE "I AGREE" BUTTON AND YOU WILL NOT BE ABLE TO INSTALL AND USE THE ZIXI OFTWARE PRODUCTS.	ND BY THE THE "I S DO NOT

3. After reading the license agreement, click **I Agree**. The **Installation Location** window appears.

Zixi Broadcaster Setup		••	-	
Choose Install Location Choose the folder in which to install Zixi Broa	adcaster.			
Setup will install Zixi Broadcaster in the follow Browse and select another folder. Click Next	wing folder. To inst t to continue.	all in a difi	ferent f	older <mark>, c</mark> lick
Destination Folder				
C:\Program Files\Zixi\Broadcaster			Brov	vse
Space required: 60.9MB				
Space available: 97.6GB				
Zixi LLC,				
	< Back	Next	>	Cance

4. Select the folder in which the Broadcaster files are installed. The default location is in the Zixi folder which is in the Program Files folder.

Downloading and Running the Installation

5. Click Next.

The Broadcaster ID windo Z Zixi Broadcaster Setup	ow appe	ars. –		×
Zixi Broadcaster Configuration Please take a moment to go over the default co	onfiguration for 2	Zixi Broadcaster.		Ζ
Zixi Broadcaster network ID:				
ELI-PC				
Zixi LLC,				
	< Back	Install	Cano	el

- 6. Input a name for the **Broadcaster ID**. The default is the local host.
- 7. Click Install.

The installation progress window appears.

Z Zixi Broadcaster Setup		-		\times
Installation Complete Setup was completed successfully.				Ζ
Completed				
Show details				
Zixi LLC,				_
	< Back	Close	Cano	el

8. When the installation is complete, click **Close**. The Broadcaster Login page opens in your browser.

- License for OpenSSL

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit

(http://www.openssl.org/)

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OPENSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (eav@cryptsoft.com). This product includes software written by

Hudson (tjh@crvptsoft.com).

Copyright (c) 1998-2017 The OpenSSL Project. All rights reserved.

- License for Libssh2

Copyright (c) 2004-2007 Sara Golemon <sarag@libssh2.org>

Copyright (c) 2005,2006 Mikhail Gusarov <dottedmag@dottedmag.net>

Copyright (c) 2006-2007 The Written Word, Inc.

Copyright (c) 2007 Eli Fant <elifantu@mail.ru>

Copyright (c) 2009-2014 Daniel Stenberg

Copyright (C) 2008, 2009 Simon Josefsson

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the copyright holder nor the names of any other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- License for DekTec's Linux SDK. Version 1, August 2012

Copyright (C) 2000-2015 DekTec Digital Video B.V.

Redistribution and use in source and binary forms, with or without modification, are

permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

or conditions and the following disclaimer. 2. Redistributions in binary format must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation. THIS SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL DEKTEC DIGITAL VIDEO BV, ITS AGENTS OR ITS EMPLOYEES BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL, OR OTHER DAMAGES (INCLUDING DAMAGES FOR THE LOSS OF USE, INFORMATION, GOODWILL, PROFIT, WORK STOPPACE, DATA, BUSINESS OR REVENUE) UNDER ANY CIRCUMSTANCES, OR UNDER ANY LEGAL THEORY, WHETHER IN CONTRACT, IN DEFENSION IN UNCLICENCE ON OFTHER DATE. TORT, IN NEGLIGENCE, OR OTHERWISE, ARISING FROM THE USE OF, OR INABILITY TO USE THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.